

Tychi Systems, Inc.

TYCHI ACCESS CONTROLS



company profile

Tychi Systems, Inc. was founded in 2002, incorporated in the State of New Hampshire and is privately held. Its headquarters are located in a modern industrial park in Salem, New Hampshire, U.S.A.

Tychi Systems' mission is to bring world-class access control technology to the consumer. We are the first company to design biometric products specifically for the home and small business owner starting from a clean drawing board. The products are not adapted from military or government experiments, or from complex corporate systems. Starting with knowledge of the most advanced biometric technology, Tychi Systems analyzed needs of the cost-conscious consumer within the home and business environment and applied the technology in a refreshingly simple and functional manner. Having both the technology and manufacturing resources in China, Tychi Systems benefits from an optimal combination of global teamwork.

Located at Xingtan Town, Shunde Foshan City, Guangdong province, which is known as China's Southern Manufacturing base with the highest total GDP among all provinces. Tychi's owned factory is an enterprise specialized in the design, production and making of locks and access controls with advanced technologies introduced from United States of America.



TYCHI SYSTEMS







Fingerprint Safe



Fingerprint Deadbolt Locks P.07



Fingerprint Entry Systems P.03



Fingerprint Deadbolt Lever Version P.08



Fingerprint Knob Locks
P.04



Keyed Locks P.09



Fingerprint Lever Locks
P.05



Electromagnetic Locks and Accessories
P. 11



Fingerprint Curve-In Handle Locks P.06



Functions and Finish Breakdown P. 12

Fingerprint Safe



Model No.: BKK-G131612 Outside Dim: 13"H×16.53"W×12.6"D

Weight: 99 lbs.

Frame Thickness: 0.23" x 0.23" x 0.39"



Model No.: BKK-G171712 Outside Dim: 17.7"H×15"W×12.6"D

Weight: 123 lbs.

Frame Thickness: 0.23" x 0.23" x 0.39"



Model No.: BKK-G191514

Outside Dim: 20.9"H x 15.35"W x 13.39"D

Weight: 143 lbs.

Frame Thickness: 0.23" x 0.23" x 0.39"



Model No.: BKK-G301715

Outside Dim: 30.1"H x 17.7"W x 15.75"D

Weight: 214 lbs.

Frame Thickness: 0.23" x 0.23" x 0.39"



1/4" solid wall frame

2/5" solid door frame

Digital LCD and pass-code

Keyed access

Fingerprint access

Key overwrite

Fingerprint Safe



Model No.: BKK-131612

Outside Dim: 13"H×16.53"W×12.6"D

Weight: 99 lbs

Frame Thickness: 0.23" x 0.23" x 0.39"



Model No.: BKK-H171712

Outside Dim: 17.7"H x 15"W x 12.6"D

Weight: 123 lbs.

Frame Thickness: 0.23" x 0.23" x 0.39"



Model No.: BKK-H191514 Outside Dim: 20.9"H×15.35"W×13.39"D

Weight: 143 lbs.

0

Frame Thickness: 0.23" x 0.23" x 0.39"



Model No.: BKK-H301715 Outside Dim: 30.1"H×17.7"W×15.75"D

Weight: 214 lbs.

Frame Thickness: 0.23" x 0.23" x 0.39"




This beautifully crafted fingerprint safe protects your important documents, cash, jewelry and other valuables conveniently at homes and offices.


Fingerprint Entry Systems





The BioDelex™ Series is a biometric door lock system with a fingerprint sensor located at the center of the door knob. A LCD display and key pad provide access to the programming functions. A 120 degrees microware motion sensor is mounted on top of the door to detect direct access to the door from inside. An electromagnetic lock controlled by BioFlex™ provides up to 1000 Lbs locking forces. All components of the system are encased and hidden inside the building structure. The system is powered by 110V AC and with backup power in case of power outage.





Model No.: BioDelex 200 Order No.: BD2004-SN/PB


Color: Satin Nickel and Polish Brass

Material: Zinc Alloy










Model No.: BioDelex 100 Order No.: BD1004-SN/PB


Color: Satin Nickel and Polish Brass

Fingerprint Knob Locks
















Model No.: BioKnob 100s Order No.: BK1001-SN/PB

Color: Satin Nickel and Polish Brass

Material: Zinc Alloy

The BioKnob™ is a biometric door lock system with a thermal fingerprint sensor located at the center of the door knob. A LCD display and key pad provide access to the programming functions. All components of the system are encased within the lock.

Fingerprint Lever Locks



The BioLever™ is a biometric door lock system with fingerprint sensor located at the center of the beautifully curved handle. A LCD display and key pad provide access to the programming functions. All components of the system are encased within the lock. BioLever™ is an ADA (Americans with Disabilities Act) compliance.

Model No.: BioLever 100 R/L Order No.: BL1002-PC/AB

(Left or Right Handed)

Color: Pearl Chrome and Satin Antique Brass



Fingerprint Curve-In Handle Locks



The BioFire™ is the third product from the design team of Tychi Systems, with curved-in handle for fire safety and ADA compliance, and maintaining the same functionality as the BioKnob™ and BioLever™.

Model No.: BioFire 100 R/L


Order No.: BF 1003-PC/AB (Left or Right Handed) Color: Pearl Chrome and Satin Antique Brass



Fingerprint Deadbolt Locks














Designed with the highest security, this beautifully crafted fingerprint deadbolt door lock is perfect for your homes and offices. The BioDeadbolt™ is a biometric dead bolt door lock system with a single point locking and a pass-through latch. A fingerprint sensor located at the center of the door knob or lever for fingerprint access.

Model No.: BioDeadBolt 100S Order No.: BDB 1005-SN/PB

Color: Satin Nickel and Polish Brass

Fingerprint Deadbolt Lever Locks 9



Model No.: BioDeadBolt 200 R/L


Order No.: BDB 2005-PC/AB (Left or Right Handed)
Color: Pearl Chrome and Satin Antique Brass

Q Deadbolt and Dead Latch Locks









Model No.: Flex 100M


Order No.: F1006-PB/AB/PN/SN

Color: Polish Brass, Antique Brass, Polish Nickel, Satin Nickel

Material: Zinc Alloy







Model No.: Flex 200M

Order No.: F2006-PB/AB/PN/SN

Color: Polish Brass, Antique Brass, Polish Nickel, Satin Nickel

Material: Zinc Alloy


Flex™ series fits any door in your office or your home. Within its smooth exterior and elegant design, the interchangeable technology eliminates the need for knobs and levers.














Model No.: Flex 300M

Order No.: F3006-PB/AB/PN/SN

Color: Polish Brass, Antique Brass, Polish Nickel, Satin Nickel

Material: Zinc Alloy









Model No.: Flex 400M


Order No.: F4006-PB/AB/PN/SN

Color: Polish Brass, Antique Brass, Polish Nickel, Satin Nickel

Material: Zinc Alloy

Flex[™] 500-800M series have the same footprint as the 100-400M. 500-800M has a larger thumb turn for a firmer grip during operation. It fits on doors in your office or your home.

Electromagnetic Locks



Type: Twin hanging type
Model No.: Emag 100
Order No.: Emag 100
Dimension: 500x47x24mm
Pull: 180kg, 280kg or 380kg
Power supply: DC12V, DC24V
Electrical current: 450mA, 225mA

Safety mode: Power-on to lock, Power-off to open



Type: Single hanging type Model No.: Emag 200 Order No.: Emag200 Dimension: 208x53x29.5mm Pull: 280kg or 350kg Power supply:DC12V

Electrical current: 450mA

Safety mode: Power-on to lock, Power-off to open





4"×3"×3mm 4"×4"×3mm

4.5" × 4.5" × 3mm

4"×3"×3mm


4"×4"×3mm

4.5"×4.5"×3mm

Type: Hinge

Model No.: Hinge 443 or 4545 Order No.: Hinge-443/4545

Color: Satin Nickel Material: Stainless Steel





Type: Power Hinge

Model No.: HwHinge 443 or 4545 Order No.: HwHinge-443/4545


Color: Satin Nickel Material: Stainless Steel



Fingerprint Entrance	Outside Inside	For entrance doors fingerprint or passcode Deadlocking latch bolt Knob or lever or curve-in handles Automatically or by-pass locking Audit Trail Turning inside know or scan fingerprint or enter passcode will unlock latch	Entrance	Outside Inside	For entrance doors Deadbott or deadlocking latch bolt The key or thumb-turn locks and unlocks the loci Turning the inside thumb-turn Inside thumb-turn always active
Fingerprint Deadbolt Entrance		For enfrance doors fingerprint or passcode Deadbolt and deadfocking latch bolt Knob or lever or curve-in handles Automatically or by-pass locking Audit Trail Turning inside know or scan fingerprint or enter passcode will unlock the Deadbolt Inside knot always active	Privacy		For lavatory or other privacy doors Deadboit or deadlocking tatch bolt Either thumb-turn operated lafch bolt unless outside is locked by push-button inside Pushing inside button locks the eutside thumb-tu- Button automatically releases when inside knob turned A coin inserted and turned in emergency slot will unlock door from outside Inside thumb-turn always active
Fingerprint Building		For entrance doors fingerprint or passcode Electromagnetic lock or external locking interface 120 degrees microwave motion sensor from inside the door Automatically or by-pass locking Audit Trail Scan fingerprint or enter passcode or motion from inside will unlock the electromagnetic lock Inside knob always active by motion	Passage		For doors that do not require locking Either thumb-turn operates tatch boilt at all time Deadboilt or deadlocking latch boilt Suitable for use on storeroom, hall way, kitchen, and children's bedroom



Finish Code	Finish Description		
PN	Polish Nickel		
SN	Satin Nickel		
РВ	Polish Brass		
АВ	Satin Antique Brass		
PC	Pearl Chrome		



Tychi Systems, Inc. 3 Brook Road Unit 10 Salem, NH 03079 U.S.A. Tel: 603-898-9244 www.tychisystems.com